

Jøtul F 370

Jøtul F 370 Burnchamber, cat no. 350972 BP / cat no. 350973 GP, Jøtul F 373 BRE 351239, Jøtul F 373 BLE 351274, Jøtul F 373 WHE 30045746, Burnchamber Germany cat no. 351188 BP/ cat no. 351189 GP

Jøtul F 370 Brennkammer kat.nr. 350972 BP/ kat.nr. 350973 GP, F 373 BRE 351239, F 373 BLE 351274, F 373 WHE 30045746, brennkammer tysk kat.nr. 351188 BP/ kat.nr. 351189 GP

BP= Sort lakk/Black Paint, GP= Grå lakk/Grey Paint, BRE= Brun Emalje/Brown Enamel, BLE= Black Enamel, UP= Ulakkert/Unpainted

Pos. no.	Spareparts	Consist of pos.no:	Benevnelse	Description	Dim./Spec.
1	117875		Skrue sekskant med flens M8x20 DIN 6921	Screw hex cap flange M8x20 DIN 6921	St8.8 / ANSI B18.2
2	117877		Skrue sekskant med flens M8x30 DIN 6921	Screw hex cap flange M8x30 DIN 6921	St8.8 / ANSI B18.2
3	10448312		Luftkanal bakre UP	Air Manifold Rear UP	Cast Iron min 4mm thickness
4	10446718		Bakplate UP	Rear Plate UP	Cast Iron min 4mm thickness
5			Glassholder høyre GP	Glass Holder Right GP	Cast Iron min 4mm thickness
5	156297	5,30(2pcs),62(2pcs),63(2pcs),64,67(2pcs),68(2pcs)	Glassholder høyre kompl. uten glass	Glass Holder Right Compl. Exclusive Glass	
6	10448512		Luftkanal høyre UP	Air Manifold Right UP	Cast Iron min 4mm thickness
7	10446592		Sideplate høyre BP	Side Plate Right BP	Cast Iron min 4mm thickness
7	10446595		Sideplate høyre GP	Side Plate Right GP	Cast Iron min 4mm thickness
7	10446551		Sideplate høyre BRE	Side Plate Right BRE	Cast Iron min 4mm thickness
7	10446552		Sideplate høyre BLE	Side Plate Right BLE	Cast Iron min 4mm thickness
7	12045761		Sideplate høyre WHE	Side Plate Right WHE	Cast Iron min 4mm thickness
8			Pakning til bunnplate	Gasket for bottom Plate	LD 250-2 Ø6,4x930mm
9			Pakning som askeskuff hviler på	Gasket for Ash Pan to rest on	LD 250-2 Ø6,4x785mm
10	10446818		Bunnplate UP	Bottom Plate UP	Cast Iron min 4mm thickness
11	117880		Mutter sekskant med flens M6 ubeh. DIN 6923	Nut hex cap flange M6 untr. DIN 6923	St8.8 / ANSI B18.2
12	10447318		Dørlås nedre UP	Lock Lower Door UP	Cast Iron min 4mm thickness
13	126109		Hylse	Sleeve	Ø10xØ6,2x15mm, Steel
14	117789		Skrue Sylinderhode Innv. Sekskant M6x35	Screw Cylinder head Internal Hexagon M6x35	St8.8 / ANSI B18.2 DIN 912
15	221672		Tetteplate for skakestang	Sealing Plate Riddeling Bar	Aluminized steel, 1mm thickness
16	221671		Skakestang	Riddeling Bar	Steel
17	117881		Mutter sekskant med flens M8 ubeh. DIN 6923	Nut hex cap flange M8 untr. DIN 6923	St8.8 / ANSI B18.2
18	221670		Ventil opptenning kompl	Valve Ignition Air Compl	Steel, Satin Nickel surface
19	221683		Pakning opptenningsluft	Gasket Ignition Air	3mm thickness, Glass Paper
20	221682		Pakning primærluft	Gasket Primary Air	3mm thickness, Glass Paper
21	221669		Ventil primærluft kompl	Valve Primary Air Compl	Steel, Satin Nickel surface
22	10448618		Luftkanal bunn UP	Air Manifold Bottom UP	Cast Iron min 4mm thickness
23	221668		Ventil uteluft	Valve Outside Air	Aluminized steel
24	10447218		Hengsel nedre UP	Hinge Lower Door UP	Cast Iron min 4mm thickness
25	127075		Nagle Ø6x33mm svartkromatisert	Hinge Pin Ø6x33mm Black-Chromated	Steel
26	10446692		Frontplate BP	Front Plate BP	Cast Iron min 4mm thickness
26	10446695		Frontplate GP	Front Plate GP	Cast Iron min 4mm thickness
27	156299	30,66,68,69,70,71,73,74,75,76,77,78,69,80	Dør kompl u/ glass BP	Door Compl Exclusive Glass BP	
27	156300	30,66,68,69,70,71,73,74,75,76,77,78,69,80	Dør kompl u/ glass GP	Door Complete Exclusive Glass GP	

Jøtul F 370

Jøtul F 370 Burnchamber, cat no. 350972 BP / cat no. 350973 GP, Jøtul F 373 BRE 351239, Jøtul F 373 BLE 351274, Jøtul F 373 WHE 30045746, Burnchamber Germany cat no. 351188 BP/ cat no. 351189 GP

Jøtul F 370 Brennkammer kat.nr. 350972 BP/ kat.nr. 350973 GP, F 373 BRE 351239, F 373 BLE 351274, F 373 WHE 30045746, brennkammer tysk kat.nr. 351188 BP/ kat.nr. 351189 GP

BP= Sort lakk/Black Paint, GP= Grå lakk/Grey Paint, BRE= Brun Emalje/Brown Enamel, BLE= Black Enamel, UP= Ulakkert/Unpainted

Pos. no.	Spareparts	Consist of pos.no:	Benevnelse	Description	Dim./Spec.
27	157117	30,66,68,69,70,71,73,74,75,76,77,78,69,80	Dør kompl u/ glass BRE	Door Complete Exclusive Glass BRE	
27	157197	30,66,68,69,70,71,73,74,75,76,77,78,69,80	Dør kompl u/ glass BLE	Door Complete Exclusive Glass BLE	
27	12045768	30,66,68,69,70,71,73,74,75,76,77,78,69,80	Dør kompl u/ glass WHE	Door Complete Exclusive Glass WHE	
28	156301		Askeskuff komplett BP	Ash Pan Complete BP	
28	156302		Askeskuff komplett GP	Ash Pan Complete GP	
29	116913		Skrue Senkhode Innvendig Sekskant M8x40	Screw Countersunk Internal Hexagon M8x40	St8.8 / ANSI B18.2 Black DIN 7991
30			Pakning under glass	Gasket under Glass	V-125x40mm graph W/A
31			Pakning for sideglass ytre mot frontplate	Gasket for Side Glass Outer towards Front Plate	LD 250-2 Ø6,4x200mm
32			Pakning for sideglass ytre mot sideplate	Gasket for Side Glass Outer towards Side Plate	LD 250-2 Ø6,4x1380mm
33	10446492		Sideplate venstre BP	Side Plate Left BP	Cast Iron min 4mm thickness
33	10446495		Sideplate venstre GP	Side Plate Left GP	Cast Iron min 4mm thickness
33	10446451		Sideplate venstre BRE	Side Plate Left BRE	Cast Iron min 4mm thickness
33	10446452		Sideplate venstre BLE	Side Plate Left BLE	Cast Iron min 4mm thickness
33	1045760		Sideplate venstre WHE	Side Plate Left WHE	Cast Iron min 4mm thickness
34	222157		Glass side ytre H/V 529x125x4mm	Glass Side Outer Right/Left 529x125x4mm	Ceramic glass with decorative shades
35	156298	30(2pcs),65,62(2pcs),63(2pcs),64,67(2pcs),68(2pcs)	Glassholder venstre kompl. uten glass	Glass Holder Left Compl. Exclusive Glass	
36	10448412		Luftkanal venstre UP	Air Manifold Left UP	Cast Iron min 4mm thickness
37	117879		Skrue sekskant med flens M8x40 DIN 6921	Screw hex cap flange M8x40 DIN 6921	St8.8 / ANSI B18.2
38			Pakning for røykhullsdeksel/stuss	Gasket for Smoke Outl.and Smoke Outl. Cover	LD 250-2 Ø6,4x600mm
39	10441692		Lufterist topp BP	Air Outlet Top BP	Cast Iron min 4mm thickness
39	10441695		Lufterist topp GP	Air Outlet Top GP	Cast Iron min 4mm thickness
39	10441651		Lufterist topp BRE	Air Outlet Top BRE	Cast Iron min 4mm thickness
39	10441652		Lufterist topp BLE	Air Outlet Top BLE	Cast Iron min 4mm thickness
39	1045759		Lufterist topp WHE	Air Outlet Top WHE	Cast Iron min 4mm thickness
40	10441792		Skål topp BP	Smoke Outlet Bowl BP	Cast Iron min 4mm thickness
40	10441795		Skål topp GP	Smoke Outlet Bowl GP	Cast Iron min 4mm thickness
40	10441751		Skål topp BRE	Smoke Outlet Bowl BRE	Cast Iron min 4mm thickness
40	10441752		Skål topp BLE	Smoke Outlet Bowl BLE	Cast Iron min 4mm thickness
40	12045767		Skål topp WHE	Smoke Outlet Bowl WHE	Cast Iron min 4mm thickness
41	10447092		Topp-plate øvre BP	Top Plate Upper BP	Cast Iron min 4mm thickness
41	10447095		Topp-plate øvre GP	Top Plate Upper GP	Cast Iron min 4mm thickness
41	10447051		Topp-plate øvre BRE	Top Plate Upper BRE	Cast Iron min 4mm thickness
41	10447052		Topp-plate øvre BLE	Top Plate Upper BLE	Cast Iron min 4mm thickness
41	12045762		Topp-plate øvre WHE	Top Plate Upper WHE	Cast Iron min 4mm thickness

Jøtul F 370

Jøtul F 370 Burnchamber, cat no. 350972 BP / cat no. 350973 GP, Jøtul F 373 BRE 351239, Jøtul F 373 BLE 351274, Jøtul F 373 WHE 30045746, Burnchamber Germany cat no. 351188 BP/ cat no. 351189 GP

Jøtul F 370 Brennkammer kat.nr. 350972 BP/ kat.nr. 350973 GP, F 373 BRE 351239, F 373 BLE 351274, F 373 WHE 30045746, brennkammer tysk kat.nr. 351188 BP/ kat.nr. 351189 GP

BP= Sort lakk/Black Paint, GP= Grå lakk/Grey Paint, BRE= Brun Emalje/Brown Enamel, BLE= Black Enamel, UP= Ulakkert/Unpainted

Pos. no.	Spareparts	Consist of pos.no:	Benevnelse	Description	Dim./Spec.
42	156240	38,42	Røkstuss Ø150 dripless UP	Smoke outl Ø150 dripless UP	Cast Iron min 4mm thickness
43	10446918		Topp-plate nedre UP	Top Plate Lower UP	Cast Iron min 4mm thickness
44	117859		Festeskiye Ø6xØ15mm Svart	Attachment washer Ø6xØ15mm Black	Steel
45	10449818		Hengsel/dørlås oppe UP	Hinge/Lock Upper Door UP	Cast Iron min 4mm thickness
46	10441112		Deksel røykhull UP	Smoke Outl Cover UP	Cast Iron min 4mm thickness
47	221880		Stang f/Ledeplate	Bar f/Exhaust deflector	Ø10x300mm, stainless steel
48	10447612		Ledeplate UP	Exhaust Defelctor UP	Cast Iron min 4mm thickness
49	221804		Brennplate bakre	Burnplate Rear	Vermiculite
50	10448212		Luftkanal fremre UP	Air Manifold Front UP	Cast Iron min 4mm thickness
51	221805		Brennplate side høyre/venstre	Burnplate Side Right/Left	Vermiculite
52	221877		Hvelv	Baffle	Vermiculite
53	128632		Skive Ø6.2x12x1.8 Messing	Washer Ø6.2x12x1.8 Brass	Brass
54	10447512		Brennpl side nedre høyre/venstre UP	Burnplate Side Lower Right/Left UP	Cast Iron min 4mm thickness
55	10447412		Skakerist UP	Riddeling Grate UP	Cast Iron min 4mm thickness
56	10447112		Bunnplate indre UP	Botom plate Inner UP	Cast Iron min 4mm thickness
57	117876		Skrue sekskant med flens M8x25 DIN 6921	Screw hex cap flange M8x25 DIN 6921	St8.8 / ANSI B18.2
58	117873		Skrue sekskant med flens M8x12 DIN 6921	Screw hex cap flange M8x12 DIN 6921	St8.8 / ANSI B18.2
59	117452		Skive Ø8,4xØ20x1,5	Washer Ø8.4xØ20x1.5	St8.8 / ANSI B18.2
60	117739		Skrue senkhode Innvendig Sekskant M8x16	Screw Countersunk Cap Internal Hex. M8x16	St8.8 / ANSI B18.2 Black DIN 7991
61	221867		Glass side indre H/V 365x130x4mm	Glass Side Inner L/R 365x130x4mm	Ceramic glass
62			Paknig ved festeskruer til glassholder	Gasket near attachment screws for Glass Holder	LD 250-2 Ø6,4x40mm
63			Pakning mot indre/ytre sideglass	Gasket towards Inner/Outer Side Glasses	LD 250-2 Ø6,4x1000mm
64	411164		Pakning til glassholder mot sideplate	Gasket for Glass Holder towards Side Plate	T1000 W/A Ø7,5x700mm
65			Glassholder venstre GP	Glass Holder Left GP	Cast Iron min 4mm thickness
66	117588		Skive Ø6xØ12x0,5mm	Washer Ø6xØ12x0.5mm	St8.8 / ANSI B18.2
67	153620		Glassklips sideglass indre	Glass Clip for Side Glass Inner	Gasket included
68	117726		Skrue Sylinderh. Innvendig Sekskant M6x12	Screw Cylinder head Internal Hex. M6x12	St8.8 / ANSI B18.2 Black DIN 912
69	128412		Glassklips til dørglass	Glass Clip for Door Glass	Stainless Steel
70	118136		Skrue senkhode Innvendig Sekskant M6x10	Screw Countersunk Cap Internal Hex. M6x10	St8.8 / ANSI B18.2 DIN 7991
71	221662		Hengsel Dør	Hinge Door	Steel
72	117833		Skrue maskin linsesenkh. pozidrive M6x12	Screw Machine Oval Pozidrive M6x12	St8.8 / ANSI B18.2 Black DIN 966
73	221689		Handtak dør	Handle Door	Steel, Satin Nickel surface
74	117130		Skrue sekskant med flens M6x12 DIN 6921	Screw hex cap flange M6x12 DIN 6921	St8.8 / ANSI B18.2
75	110904		Skive Ø6,4xØ12,5x1.6mm	Washer Ø6.4xØ12.5x1.6mm	St8.8 / ANSI B18.2

Jøtul F 370

Jøtul F 370 Burnchamber, cat no. 350972 BP / cat no. 350973 GP, Jøtul F 373 BRE 351239, Jøtul F 373 BLE 351274, Jøtul F 373 WHE 30045746, Burnchamber Germany cat no. 351188 BP/ cat no. 351189 GP

Jøtul F 370 Brennkammer kat.nr. 350972 BP/ kat.nr. 350973 GP, F 373 BRE 351239, F 373 BLE 351274, F 373 WHE 30045746, brennkammer tysk kat.nr. 351188 BP/ kat.nr. 351189 GP

BP= Sort lakk/Black Paint, GP= Grå lakk/Grey Paint, BRE= Brun Emalje/Brown Enamel, BLE= Black Enamel, UP= Ulakkert/Unpainted

Pos. no.	Spareparts	Consist of pos.no:	Benevnelse	Description	Dim./Spec.
76	221659		Låsemekanisme dør kompl	Locking Mech.Door compl	Steel
77			Pakning til dør mot frontplate	Gasket for Door towards Front Plate	LD 375-2 Ø9,5x2100mm
78			Dør BP	Door BP	Cast Iron min 4mm thickness
78			Dør GP	Door GP	Cast Iron min 4mm thickness
78			Dør BRE	Door BRE	Cast Iron min 4mm thickness
78			Dør BLE	Door BLE	Cast Iron min 4mm thickness
78			Dør WHE	Door WHE	Cast Iron min 4mm thickness
79	221648		Glass Dør	Glass Door	Ceramic glass
80			Pakning til dørglass	Gasket for Door Glass	LD 250-2 Ø6,4x2000mm
81			Pakning for røykrør	Gasket for Flue Pipe	WT-187x18,4 W/A L66o
82	221897		Demper for dørhandtak	Damper for Door Handle	Silicone
		Jøtul F 371 Cast Iron Base, cat no. 351176 BP / cat no. 351177 GP			
90	221859		Skjermpate bunn	Heatshield Bottom	Aluzink DX 51D+AZ Thickness 0,7mm
91	10449592		Sokkel hylle BP	Base Shelf BP	Cast Iron min 4mm thickness
91	10449595		Sokkel hylle GP	Base Shelf GP	Cast Iron min 4mm thickness
92	10449792		Sokkel bakplate BP	Base Rear Plate BP	Cast Iron min 4mm thickness
92	10449795		Sokkel bakplate GP	Base Rear Plate GP	Cast Iron min 4mm thickness
93	10449392		Sokkel høyre BP	Base Right BP	Cast Iron min 4mm thickness
93	10449395		Sokkel høyre GP	Base Right GP	Cast Iron min 4mm thickness
94	116875		Skrue Sekskanthode M8x40	Screw Hexagon Cap M8x40	St8.8 / ANSI B18.2 DIN933
95	10449492		Sokkel bunn BP	Base Bottom BP	Cast Iron min 4mm thickness
95	10449495		Sokkel bunn GP	Base Bottom GP	Cast Iron min 4mm thickness
96	10449292		Sokkel venstre BP	Base Left BP	Cast Iron min 4mm thickness
96	10449295		Sokkel venstre GP	Base Left GP	Cast Iron min 4mm thickness
		Jøtul F 372 Concrete Base, cat no. 300457			
100	221698		Festevinkel betongsokkel	Connection Angle Concrete Base	Steel
101	221680		Bakdeksel betongsokkel svart	Cover Concrete Base, Black	Steel
102			Sokkel i betong	Concrete Base	Concrete
103	221447		Hylse Ø10x8,2x31mm	Sleeve Ø10x8,2x31mm	Steel
		Jøtul F 373 Pedestal, cat no. 350974 BP / cat no. 350975 GP			
105			Pakning for søyle mot brennkammerbunn	Gasket (Pedestal towards Burnchamber bottom)	LD 250-2 Ø6,4x300mm

Jøtul F 370

Jøtul F 370 Burnchamber, cat no. 350972 BP / cat no. 350973 GP, Jøtul F 373 BRE 351239, Jøtul F 373 BLE 351274, Jøtul F 373 WHE 30045746, Burnchamber Germany cat no. 351188 BP/ cat no. 351189 GP

Jøtul F 370 Brennkammer kat.nr. 350972 BP/ kat.nr. 350973 GP, F 373 BRE 351239, F 373 BLE 351274, F 373 WHE 30045746, brennkammer tysk kat.nr. 351188 BP/ kat.nr. 351189 GP

BP= Sort lakk/Black Paint, GP= Grå lakk/Grey Paint, BRE= Brun Emalje/Brown Enamel, BLE= Black Enamel, UP= Ulakkert/Unpainted

<i>Pos. no.</i>	<i>Spareparts</i>	<i>Consist of pos.no:</i>	<i>Benevnelse</i>	<i>Description</i>	<i>Dim./Spec.</i>
106	10448712		Søyle topp UP	Pedestal Top UP	Cast Iron min 4mm thickness
107			Pakning søyle topp mot søyle sider	Gasket for Pedestal Top towards Sides	LD 250-2 Ø6,4x660mm
108			Pakning for søyle sider	Gasket for Pedestal Sides	LD 250-2 Ø6,4x410mm
109	10453692		Søyle bremselokk BP	Brake Cover BP	Cast Iron min 4mm thickness
109	10453695		Søyle bremselokk GP	Brake Cover GP	Cast Iron min 4mm thickness
109	10453651		Søyle bremselokk BRE	Brake Cover BRE	Cast Iron min 4mm thickness
109	10453652		Søyle bremselokk BLE	Brake Cover BLE	Cast Iron min 4mm thickness
109	12045766		Søyle bremselokk WHE	Brake Cover WHE	Cast Iron min 4mm thickness
110	10449192		Søyle bunn BP	Pedestal Bottom BP	Cast Iron min 4mm thickness
110	10449195		Søyle bunn GP	Pedestal Bottom GP	Cast Iron min 4mm thickness
110	10449151		Søyle bunn BRE	Pedestal Bottom BRE	Cast Iron min 4mm thickness
110	10449152		Søyle bunn BLE	Pedestal Bottom BLE	Cast Iron min 4mm thickness
110	12045765		Søyle bunn WHE	Pedestal Bottom WHE	Cast Iron min 4mm thickness
111	221809		Søyle pakning bunn	Pedestal Gasket Bottom	PVC/Nitrile with skin
112	116650		Skrue Sekskanthode M8x16	Screw Hexagon Cap M8x16	St8.8 / ANSI B18.2 DIN933
113	10448892		Søyle side BP	Pedestal Side BP	Cast Iron min 4mm thickness
113	10448895		Søyle side GP	Pedestal Side GP	Cast Iron min 4mm thickness
113	10448851		Søyle side BRE	Pedestal Side BRE	Cast Iron min 4mm thickness
113	10448852		Søyle side BLE	Pedestal Side BLE	Cast Iron min 4mm thickness
113	12045764		Søyle side WHE	Pedestal Side WHE	Cast Iron min 4mm thickness
114			Pakning søyle bunn mot søyle sider	Gasket for Pedestal Bottom towards Sides	LD 250-2 Ø6,4x700mm
Jøtul F 374 Cast Iron Leg, cat no. 351162 BP / cat no. 351163 GP					
115	10448012		Fot Topp-plate UP	Leg Top Plate UP	Cast Iron min 4mm thickness
116	10458392		Fot sideplate høyre BP	Leg Side Plate Right BP	Cast Iron min 4mm thickness
116	10458395		Fot sideplate høyre GP	Leg Side Plate Right GP	Cast Iron min 4mm thickness
117	10448192		Fot bunnplate BP	Leg Bottom Plate BP	Cast Iron min 4mm thickness
117	10448195		Fot bunnplate GP	Leg Bottom Plate GP	Cast Iron min 4mm thickness
118	10458292		Fot sideplate venstre BP	Leg Side Plate Left BP	Cast Iron min 4mm thickness
118	10458295		Fot sideplate venstre GP	Leg Side Plate Left GP	Cast Iron min 4mm thickness
119	10458492		Fot deksel BP	Leg Cover Plate BP	Cast Iron min 4mm thickness
119	10458495		Fot deksel GP	Leg Cover Plate GP	Cast Iron min 4mm thickness

Jøtul F 370

Jøtul F 370 Burnchamber, cat no. 350972 BP / cat no. 350973 GP, Jøtul F 373 BRE 351239, Jøtul F 373 BLE 351274, Jøtul F 373 WHE 30045746, Burnchamber Germany cat no. 351188 BP/ cat no. 351189 GP

Jøtul F 370 Brennkammer kat.nr. 350972 BP/ kat.nr. 350973 GP, F 373 BRE 351239, F 373 BLE 351274, F 373 WHE 30045746, brennkammer tysk kat.nr. 351188 BP/ kat.nr. 351189 GP

BP= Sort lakk/Black Paint, GP= Grå lakk/Grey Paint, BRE= Brun Emalje/Brown Enamel, BLE= Black Enamel, UP= Ulakkert/Unpainted

Pos. no.	Spareparts	Consist of pos.no:	Benevnelse	Description	Dim./Spec.
Jøtul F 375 Glass Door for Cast Iron Base, cat no. 351164					
120			Dørdeemper	Resilient button	Plastic Ø7x1,5mm
121			Glassdør med hengsel	Glass Door With Hinge	
122	117117		Skrue sekskant med flens M6x20 DIN 6921	Screw hex cap flange M6x20 DIN 6921	St8.8 / ANSI B18.2
123	126164		Fjær	Spring	Spring Steel Ø15xL13xT2
124			Fjær EWES 0360-041-4500S	Fjær EWES 0360-041-4500S	Stainless Steel Ø9xL114xT1
Jøtul F 376 Glass Base, cat no. 351210 BP / cat no. 351211 GP					
125	10474092		Glass sokkel bakplate BP	Glass base rear plate BP	Cast Iron min 4mm thickness
125	10474095		Glass sokkel bakplate GP	Glass base rear plate GP	Cast Iron min 4mm thickness
126	10473992		Glass sokkel side høyre BP	Glass base side right BP	Cast Iron min 4mm thickness
126	10473995		Glass sokkel side høyre GP	Glass base side right GP	Cast Iron min 4mm thickness
127	156918	127(8pcs), 74(8pcs)	Glass klips 8 stk	Glass clip 8 pcs	Steel, black
128	222664		Beskyttelseshette M8 sekskant svart	Protection cap M8 Hexagon black	Polypropylene
129	116654		Skrue Sekskanthode M8x30	Screw Hexagon Cap M8x30	St8.8 / ANSI B18.2, ElZn, DIN 933
130	10473792		Glass sokkel bunnplate BP	Glass base bottom platet BP	Cast Iron min 4mm thickness
130	10473795		Glass sokkel bunnplate GP	Glass base bottom platet GP	Cast Iron min 4mm thickness
131	10473892		Glass sokkel side venstre BP	Glass base side left BP	Cast Iron min 4mm thickness
131	10473895		Glass sokkel side venstre GP	Glass base side left GP	Cast Iron min 4mm thickness
132	222847		Glass side høyre/venstre	Glass side left/right	Ceramic glass
133	220105		Hylse	Sleeve	Ø10,1xØ8x9,5mm, Steel
Jøtul F 270/370/470 Revolving Pedestal, cat no. 350997					
135	350997		Se egen reservedelsliste og tegning	See seperate Spare Part List and Drawing	
Jøtul F 379 Three Legs, cat no. 351255 BP					
136	10486492		Avstiver for ben BP	Brace For Legs BP	Cast Iron min 7mm thickness
137	10486092		Ben høyre BP	Leg Right BP	Cast Iron min 4mm thickness
138	10486192		Deksel uteluft BP	Cover Outside Air BP	Cast Iron min 4mm thickness
139	10485992		Ben venstre BP	Leg Left BP	Cast Iron min 4mm thickness
Cast Iron Door For Base Jøtul F 371 cat no. 361115 BP/ cat no. 361116 GP					
140	127076		Nagle Ø6 x24. sortkrom	Rivet Ø6x24. black cromate	Steel
141	117118		Skrue sekskant med flens M6x16	Screw hex cap flange frame M6x16	M6x16 st 8,8 DIN6921

		Jøtul F 370			
		Jøtul F 370 Burnchamber, cat no. 350972 BP / cat no. 350973 GP, Jøtul F 373 BRE 351239, Jøtul F 373 BLE 351274, Jøtul F 373 WHE 30045746, Burnchamber Germany cat no. 351188 BP/ cat no. 351189 GP			
		Jøtul F 370 Brennkammer kat.nr. 350972 BP/ kat.nr. 350973 GP, F 373 BRE 351239, F 373 BLE 351274, F 373 WHE 30045746, brennkammer tysk kat.nr. 351188 BP/ kat.nr. 351189 GP			
		BP= Sort lakk/Black Paint, GP= Grå lakk/Grey Paint, BRE= Brun Emalje/Brown Enamel, BLE= Black Enamel, UP= Ulakkert/Unpainted			
<i>Pos. no.</i>	<i>Spareparts</i>	<i>Consist of pos.no:</i>	<i>Benevnelse</i>	<i>Description</i>	<i>Dim./Spec.</i>
142	220487		Fjær E0360-034-3500M	Spring E0360-034-3500M	
143	223693		Brakett for fjær-selvlukkende dør	Bracket for spring self closing door	Steel S235JR
144			Dør for sokkel F 361/F 371BP	Door For Base F361/F371 BP	Cast iron
144			Dør for sokkel F 361/F 371GP	Door For Base F361/F371 GP	Cast iron
145	221284		Shims	Shim	Steel 1mm
146	224530		Hengselbrakett	Hinge Bracket F361/F371	Steel S355J2
147	116832		Mutter sekskant M6 DIN 934	Nut hexagonal M6 DIN 934	M6 st 8,8 DIN934
148	117505		Skrue Sylinderh. Innvendig Sekskant M6x8	Screw Cylinder head Internal Hex. M6x8	St8.8, DIN 7984, Black
		Jøtul F 360 HT/ F 370 HT BP cat no. 351243			
150	224001		Festebrakett bak	Steel Bracket Back	Black,Steel
151	10485092		Sideplate høyre BP	Side Plate Right BP	CastIron
152	224002		Festebrakett side	Steel Bracket Side	Black,Steel
153	224003		Festebrakett front	Steel Bracket Front	Black,Steel
154	10485192		Frontplate BP	Front Plate BP	CastIron
155	117874		Skrue sekskant med flens M8x16 DIN 6921	Screw hex cap flange M8x16 DIN 6921	St8.8 / ANSI B18.2
156	10484992		Sideplate venstre BP	Side Plate Left BP	CastIron
157	224000		Sektorventilplate komplett F 370 HT	Sector Plate Set	Black,Steel
		Heat Accumulating Set, cat no. 361067			
158	224007	6pcs	Varmelagrende Stein Ø309/Ø170/48mm	Heat accumulating stone Ø309/Ø170/48mm	Special
		Glass Decor For Rear Smoke Outlet, cat no. 350993 BP / cat no. 350994 GP			
160	221693		Brakett f/sidegl bakuttak BP	Bracket Rear Outlet BP	Black,Steel
160	222138		Brakett f/sidegl bakuttak GP	Bracket Rear Outlet GP	Grey, Steel
161	221663		Brakett nedre dør gl.dekor BP	Bracket lower Door BP	Black,Steel
161	222136		Brakett nedre dør gl.dekor GP	Bracket lower Door GP	Grey, Steel
162	221643		Dørglass glassdekor	Door Glass Decor Glass	Ceramic glass
163	221664		Brakett øvre dør gl.dekor BP	Bracket Upper Door BP	Black,Steel
163	222137		Brakett øvre dør gl.dekor GP	Bracket Upper Door GP	Grey, Steel
164	221650		Sidegl f/ bakut glassdekor	Side Glass Rear Outl Decor Glass	Ceramic glass
165	10449692		Topp-plate for glassdekor BP	Top Plate For Decor Glass BP	Cast Iron min 4mm thickness
165	10449695		Topp-plate for glassdekor GP	Top Plate For Decor Glass GP	Cast Iron min 4mm thickness
166	221879		Friksjonsknapp f/Glassdekor 8stk	Friction button f/Glass Decor 8pcs	Silicone

		Jøtul F 370			
Jøtul F 370 Burnchamber, cat no. 350972 BP / cat no. 350973 GP, Jøtul F 373 BRE 351239, Jøtul F 373 BLE 351274, Jøtul F 373 WHE 30045746, Burnchamber Germany cat no. 351188 BP/ cat no. 351189 GP					
Jøtul F 370 Brennkammer kat.nr. 350972 BP/ kat.nr. 350973 GP, F 373 BRE 351239, F 373 BLE 351274, F 373 WHE 30045746, brennkammer tysk kat.nr. 351188 BP/ kat.nr. 351189 GP					
BP= Sort lakk/Black Paint, GP= Grå lakk/Grey Paint, BRE= Brun Emalje/Brown Enamel, BLE= Black Enamel, UP= Ulakkert/Unpainted					
<i>Pos. no.</i>	<i>Spareparts</i>	<i>Consist of pos.no:</i>	<i>Benevnelse</i>	<i>Description</i>	<i>Dim./Spec.</i>
167	221653		Toppglass Glassdekor	Top Glass Decor Glass	Ceramic glass
Glass Decor For Top Smoke Outlet cat no. 350995 BP / cat no. 350996 GP					
168	221686		Brakett høyre nede/venstre oppe topputtak BP	Bracket Right Lower/Left Upper Top Outl BP	Black,Steel
168	222140		Brakett høyre nede/venstre oppe topputtak GP	Bracket Right Lower/Left Upper Top Outl GP	Grey, Steel
169	221685		Brakett venstre nede/høyre oppe topputtak BP	Bracket Left Lower/Right Upper Top Outl BP	Black,Steel
169	222139		Brakett venstre nede/høyre oppe topputtak GP	Bracket Left Lower/Right Upper Top Outl GP	Grey, Steel
170	221684		Sideglass f/ topputtak glassdekor	Side Glass for Top Outl Decor Glass	Ceramic glass
Convection Kit, cat no. 351172 BP / cat no. 351173 GP					
171	222312		Skjermpate side BP	Heatshield Side BP	Steel
171	222313		Skjermpate side GP	Heatshield Side GP	Steel
Decor Plate Fairy cat no. 350986 BP/ cat no. 350987 GP (Not for sale)					
172			Dekorplate Eventyr (2stk per pakke) BP	Decor Plate Fairy (2pcs in each parcel) BP	Steel
173			Dekorplate Eventyr (2stk per pakke) GP	Decor Plate Fairy (2pcs in each parcel) GP	Steel
Decor Plate Reed, cat no. 350988 BP / cat no. 350989 GP					
174			Dekorplate Siv (2stk per pakke) BP	Decor Plate Reed (2pcs in each parcel) BP	Steel
175			Dekorplate Siv (2stk per pakke) GP	Decor Plate Reed (2pcs in each parcel) GP	Steel
Decor Plate Plain, cat no. 350990 BP / cat no. 350991 GP					
176	350990		Dekorplate Tett (2stk per pakke) BP	Decor Plate Plain (2pcs in each parcel) BP	Steel
177	350991		Dekorplate Plain (2stk per pakke) GP	Decor Plate Plain (2pcs in each parcel) GP	Steel
Floor Plate Concrete Norway/Sweden Jøtul F 372/ cat no. 310229					
178	310229		Gulvplate betong Norge/Sverige F 372	Floor Plate Concrete Norway/Sweden F 372	Concrete
Floor Plate Glass Norway/Sweden cat no. 351121					
179	351121		Gulvplate glass Norge/Sverige (ikke for F 374,F 379)	Floor Plate glass Norway/Sweden (not for F 374, F 379)	Tempered glass, 6mm thickness
Floor Plate Glass Germany, cat no. 351221					
179	351221		Gulvplate glass Tyskland (ikke for F374, F 379)	Floor Plate Glass Germany (not for F374, F 379)	

		Jøtul F 370			
		Jøtul F 370 Burnchamber, cat no. 350972 BP / cat no. 350973 GP, Jøtul F 373 BRE 351239, Jøtul F 373 BLE 351274, Jøtul F 373 WHE 30045746, Burnchamber Germany cat no. 351188 BP/ cat no. 351189 GP			
		Jøtul F 370 Brennkammer kat.nr. 350972 BP/ kat.nr. 350973 GP, F 373 BRE 351239, F 373 BLE 351274, F 373 WHE 30045746, brennkammer tysk kat.nr. 351188 BP/ kat.nr. 351189 GP			
		BP= Sort lakk/Black Paint, GP= Grå lakk/Grey Paint, BRE= Brun Emalje/Brown Enamel, BLE= Black Enamel, UP= Ulakkert/Unpainted			
<i>Pos. no.</i>	<i>Spareparts</i>	<i>Consist of pos.no:</i>	<i>Benevnelse</i>	<i>Description</i>	<i>Dim./Spec.</i>
Floor Plate Steel Norway/Sweden, cat no. 351158 BP / cat. No 351159 GP					
180	351158		Gulvplate stål Norge/Sverige BP	Floor Plate Steel Norway/Sweden BP	Steel 1mm thick
181	351159		Gulvplate stål Norge/Sverige GP	Floor Plate Steel Norway/Sweden GP	Steel 1mm thick
Log Container Jøtul F 374, cat no. 351160 BP / cat. no 351161 GP					
182	351160		Vedbeholder F 374 BP	Log Container F 374 BP	Steel
183	351161		Vedbeholder F 374 GP	Log Container F 374 GP	Steel
Outside Air Connection Ø100mm, cat no. 341296					
184	341296		Utelufttilkobling Ø100mm	Outside Air Connection Ø100mm	
Soapstone Top, cat no.350992/ 361011					
185	350992		Kleber topp 25mm hel	Soapstone Top 25mm 1pcs	Soapstone
186	361011	165(3pcs), 166(1pcs)	Kleber topp 25mm tredelt	Soapstone Top 25mm 3pcs	Soapstone
187	223080		Kleber topp 25mm segment	Soapstone Top 25mm segment	Soapstone
188			Tynnplate kleber topp tredelt	Sheet steel plate for Soapstone Top	steel
Spring, Self Closing Door, cat no. 350998					
189	350998		Selvlukkemekanisme komplett dør F370	Self Closing Mechanism Compl. Door F370	(for Germany)
Adaptor ø149 outside					
190	220690		Adapter Tysk Ø 149 utv BP	Adaptor Germany ø149 outs BP	Steel
191	220462		Adapter Tysk Ø 149 utv GP	Adaptor Germany ø149 outs GP	Steel
192	224026		Lakkflaske emalje BRE (brun emalje)	Touch up paint BRE (Brown Enamel)	Paint
193	224680		Lakkflaske emalje BLE (svart emalje)	Touch up paint BLE (Black Enamel)	Paint
Convection Sides cat no. 50043647 BP					
194	10043652		Konveksjonsplate venstre komplett F 370 C BP	Convectionplate Left Complete F 370 C BP	Steel
195	10043656		Konveksjonsplate høyre komplett F 370 C BP	Convectionplate Right Complete F 370 C BP	Steel
196	10043658		Brakett venstre komplett F 370 C	Bracket Left Complete F 370 C	Steel
197	10043660		Brakett høyre komplett F 370 C	Bracket Right Complete F 370 C	Steel

Jøtul F 370

Jøtul F 370 Burnchamber, cat no. 350972 BP / cat no. 350973 GP, Jøtul F 373 BRE 351239, Jøtul F 373 BLE 351274, Jøtul F 373 WHE 30045746, Burnchamber Germany cat no. 351188 BP/ cat no. 351189 GP

Jøtul F 370 Brennkammer kat.nr. 350972 BP/ kat.nr. 350973 GP, F 373 BRE 351239, F 373 BLE 351274, F 373 WHE 30045746, brennkammer tysk kat.nr. 351188 BP/ kat.nr. 351189 GP

BP= Sort lakk/Black Paint, GP= Grå lakk/Grey Paint, BRE= Brun Emalje/Brown Enamel, BLE= Black Enamel, UP= Ulakkert/Unpainted

<i>Pos. no.</i>	<i>Spareparts</i>	<i>Consist of pos.no:</i>	<i>Benevnelse</i>	<i>Description</i>	<i>Dim./Spec.</i>
198	10043655		Glass buet F 370 C	Glass Curved F 370 C	Ceramic Glass
199	117879		Skrue sekskant med flens M8x40 DIN 6921	Screw Hex Cap Flange Frame m8x40 DIN 6921	St8.8 / ANSI B18.2
Convection Top cat no. 50043642 BP					
200	50043642		Konveksjonstopp komplett F 370 / F 360 BP	Convection Top Complete F 370 / F 360 BP	Cast Iron
Soapstone Kit Low Jøtul F 377, cat no. 361107					
201	224623		Kleberside lav F 367/F 377	Soapstone Side Low F 367 / F 377	Soapstone
202	224624		Kleberside midtre F 367/F 377	Soapstone Side Middle F 367 / F 377	Soapstone
203	224629		Kleber Topp F 367/F 377	Soapstone Top F 367 / F 377	Soapstone
Soapstone Kit Low Jøtul F 377 HT, cat no. 361109					
204	224625		Kleberside HT øvre F 367 / F 377	Soapstone Side HT Upper F 367 / F 377	Soapstone
Steel Kit Jøtul F 377 Low BP					
205	224630		Stålplate bakre kleber F 367 / F 377	Steelplate Rear Soapstone F 367 / F 377	Steel
206	224632		Topprist kleber F 367 / F 377	Top Grid Soapstone F 367 / F 377	Steel
207	224633		Stålbrakett 1 kleber F 377	Steel Bracket 1 Soapstone F 377	Steel
208	224634		Stålbrakett kleber bunn F 377	Bracket Soapstone Bottom F 377	Steel
209	224636		Stålbrakett 2 kleber F 377	Steel Bracket 2 Soapstone F 377	Steel
210	117879		Skrue sekskant med flens M8x40 DIN 6921	Screw Hex Cap Flange Frame m8x40	DIN 6921
Steel Kit Jøtul F 377 HT BP					
211	224631		Stålplate bakre komplett HT F 367/ F 377	Plate Rear Complete HT F 367 / F 377	Steel
212			Spennhylse Ø10x40	Span Pin Ø10x40	DIN 1491
					<i>Draw.no 4-4637-P17</i>